

Table of Contents

Configuration example for option 125 (dhcp_poolname_opt=2):

```
# Declare the architecture of opt125 for VASExperts
option space VASEX code width 1 length width 1;
option VASEX.poolname code 1 = string;
option space vivso code width 4 length width 1;
option vivso.VASEX code 43823 = encapsulate VASEX;
option vivso.iana code 0 = string;
option op125 code 125 = encapsulate vivso;

shared-network MyShare {
    # Declare the pool class "my-pool1"
    class "dhcp-pool1" {
        match if option VASEX.poolname = "my-pool1";
    }
    # Declare the pool class "my-pool2"
    class "dhcp-pool2" {
        match if option VASEX.poolname = "my-pool2";
    }

    # ...

    # pool "my-pool1"
    subnet 10.250.130.0 netmask 255.255.255.0 {
        option routers 10.250.130.1;
        pool {
            allow members of "dhcp-pool1";
            range 10.250.130.2 10.250.130.250;
        }
    }

    # pool "my-pool2"
    subnet 10.250.140.0 netmask 255.255.255.0 {
        option routers 10.250.140.1;
        pool {
            allow members of "dhcp-pool2";
            range 10.250.140.2 10.250.140.250;
        }
    }

    # ...
}
}
```