

Table of Contents

Equipment prerequisites	3
<i>Minimum requirements</i>	3
<i>Recommended requirements</i>	3

Equipment prerequisites

Minimum requirements

You can use equipment or virtual machines within the subsystem with the following characteristics:

1. Central Processor Unit (CPU) — 2.5 GHz, 1 pce
2. Random access memory (RAM) — 2 GB min
3. Hard disk drive (HDD) — 50 - 250 GB
4. Operating System — CentOS 8.x, [VEOS](#), CentOS Stream 8.x, Oracle Linux Server 8.x, AlmaLinux 8.x.



When using VEOS, take into account the information in [VEOS Update Notes](#) when selecting hardware.

5. Network interface card (NIC) — 10 Mbps and above

Recommended requirements

1. Central Processor Unit (CPU) — 2 - 4 cores, 1 pce
2. Random access memory (RAM) — 4 - 8 GB
3. SSD — 100 GB
4. Operating System — CentOS 8.x, [VEOS](#), CentOS Stream 8.x, Oracle Linux Server 8.x, AlmaLinux 8.x.



When using VEOS, take into account the information in [VEOS Update Notes](#) when selecting hardware.

5. Network interface card (NIC) — 10 Mbps and above



Do not install the subsystem on the same hardware with the DPI! Use a separate virtual machine instead.



The GUI can synchronize a maximum of 300,000 subscribers with the DPI.