


Table of Contents

Classifier configuration	3
---------------------------------------	---


Classifier configuration

To open the "Classifier configuration" section, open the main menu, point to the "Classifier" item and click on the "Configuration" item. (fig. 1)



<html><center></html> (fig. 1) <html></center></html>

The section looks like the picture below. (fig. 2)



<html><center></html> (fig. 2) <html></center></html>

"Classifier configuration" has sections:

1. Settings:
 1. Button "Save" - saves changes in the configuration of the classifier.
 2. "Restart" button - restarts the classifier with the updated configuration.
 3. "Refresh" button - requests the last saved configuration from the server.
 4. Switch "Form / Editor" - toggles the editing modes of the configurator
 1. Form - allows you to edit the server configuration using the graphical interface.
 2. Editor - allows you to edit the server configuration by editing the configuration file directly, that is, in text format.
2. List of configuration categories:
 1. Clickstream receivers

1. Button "+" - opens a form (fig. 3) for adding a receiver.
 2. List of receivers.
3. Connection to MySql DB
1. DB connection type (DB_CONNECTION)
 2. Database host (DB_HOST)
 3. DB port (DB_PORT)
 4. Database name (DB_DATABASE)
 5. Database username (DB_USERNAME)
 6. DB password (DB_PASSWORD)
4. Model settings
1. Default models (CFG_SITES_CLSFR_MODEL)

Ресиверы clickstream

+

Тип порта
tcp

Порт
0

Код компании
Company code

Выполнить bash
run_dump_process.sh

Ротация в минутах
12

Задержка в секундах
400

Размер очереди
10

Число процессов обработки
0

Экспорт
10.0.0.2/9920/tcp,10.0.0.3/3440/udp

[Отменить](#) [Применить](#)

<html><center></html> (fig. 3) <html></center></html>