Table of Contents

Classifier model		3
------------------	--	---

Classifier model

Classifier model - this section allows you to use the convenience of the graphical interface to access files on the server, works like a file manager.

To open the "Classifier Model" section, open the main menu, point to the "Classifier" item and click on the "Classifier Model" item.

2	CKAT DPI : Fastl	DP	l ~ 0	
ती Kater	 УПРАВЛЕНИЕ DPI УПРАВЛЕНИЕ УСЛУГАМИ 	, ,	СИФИКАТОР / МОДЕЛЬ КЛАССИ	рикатора
О Моде	 QOE АНАЛИТИКА СЕРВИСЫ VAS CLOUD 	;	Палки	۲ ج
🗎 Конф 者 Логи	≅ КЛАССИФИКАТОР 80 АДМИНИСТРАТОР	•	 КАТЕГОРИИ САЙТОВ МОДЕЛЬ КЛАССИФИКАТОРА) ^
	>_ SSH ТЕРМИНАЛ УСТРОЙСТВА	•	 конфигурация логи 	0

The section looks like the picture below.

P						
di Katerapar caitta	CHANKALON / WODEN	P RIVECTION RATION	A			
O Mapers enecondynamps	Патки	¢	4winu	e i	Седархиние файла	>
III Soudarypaum	+	0				∠ Operators = ⊕ Dergreen = 2
A Form	C Tana					
	-	Marika (Riçi) 🤺	Migens Rassa Baiki			
	O B Oviet	ente D				
	C 8 Default	nui 0				
	D B Delect	millery D				
	0 8 Detail	organizations ()				
	D 2 Ontaat	echeol 🛛				
	C 8 Orlant	software_book (1)				
	D 28 Default	unknown 0				

The "Classifier Model" has sections:

- 1. Models (hidden by default, click on the inscription "Models" to open):
 - 1. Button "+" opens a form (fig. 3) for adding a model.
 - 2. Button "Duplicate model" opens a form (fig. 4) for duplicating a model.
 - 3. Button "Set model by default" opens the form (fig. 5) for setting the model by default.
 - 4. "Refresh" button refreshes the list of models.
 - 5. List of models.
- 2. Folders (Code):
 - 1. Button "+" opens a form (fig. 6) for adding a folder (code).
 - 2. "Refresh" button refreshes the list of folders (code) in the selected models.

3. List of folders (code) in the selected models.

3. Files:

- 1. Button "+" opens a form (fig. 7) for adding a file.
- 2. Button "Set folder" opens a form (fig. 8) for changing the model and folder for the selected files.
- 3. "Delete" button deletes the selected sites.
- 4. "Delete All" button deletes all sites in the selected categories.
- 5. "Refresh" button refreshes the list of files in the selected folders.
- 6. List of files in selected folders.
- 4. File contents:
 - 1. "Save" button saves changes in the selected file.
 - 2. The "Check" button performs a check and opens a form (fig. 9), which displays: the correctness of recognition in percent and the probable category in the "Category name (Code / Folder)" format for the content of the selected file.
 - 3. Button "Get" opens a form (Fig. 10) for receiving the text of the site by URL.
 - 4. "Refresh" button refreshes the content of the selected file.

Модели	< Паг	ки
+ Название *		
0 N	Отменить	Сохранить

Mo,	дели		<	Папки	
+		0 👗	S	+	
0	Мод		Дублироват	ъ модель	
		Модель *	Default		~
		Имя дубликата *			
			Отмен	ить	Сохранить

Мо	дели		<	Папки		<
+	Ø	<u>ش</u>	e	+		g
0	Модели Назван	Модель *	Default			~
				Отменить	Сохранить	

Папк	и		<	Файлы
+ © 1	Модель * Название *	Default		~
			Отменить	Сохранить

Файл	ы		< Содерж	имое
+	Модель *	Default	~	ран
0 0	Папка *	organizations	~	зэкзит
_	Название *			
		Отменить	Сохранить	
			-	

Фа	йлы					<	Содержимое фай	іла
+			Û	&		e	Сохранить	
¢	Фай							ina
		Модель	*	Default			~	
		Папка *		organizations			~	
					Отменить		Сохранить	
							9	_

Содержимое файла				>
🛙 Сохранить		🗸 Проверить	Получить	ø
Т Содержимое ф				
1 2 3 4	Вероятная категория *	коммерческие орга	низации (organizat	ion:
5 6 7 7	Корректность распознавания *	86%		
9 10 11		Ok		
13 14 15	Интернет, применения мероприятий (ОРН). ИТ-услуг	а политик тарифных и УЗНАТЬ БОЛЬШЕ	лланов и дополнит ХОТИТЕ УЗНАТ	ельн Б БО
16				

Содержимое файла				>
🕲 Сохранить		🗸 Проверить	Получить	з
Т Содержимое файла 1	URL *	vasexperts.ru		
2 m 4 s		Отменить	Получил	пь