

# Table of Contents

Performance ..... 3



# Performance

To go to the Performance section, open the "DPI CONTROL" menu and click on the "Performance".



The section contains 2 subsections:

- [Online](#) - the current state in real time is displayed
- [Statistics](#) - the accumulated statistics for the period are displayed


## Online

This section shows the current state of DPI performance in real time.

It is possible to switch between 2 tabs:

- [Processors and memory](#) - Processors and memory usage are displayed
- [Top 30 processes](#) - TOP 30 processes list is displayed

## Processors and memory



## Top 30 processes

The screenshot shows the 'Top 30 processes' table in the VAS Experts (PM) Test Stand 34 interface. The table lists various processes with their names, CPU%, MEM%, and other metrics.

Process	Process	CPU%	MEM%	Size	Age
java	java	107	11.8	1.1G	11.5s
java	java	10.9	2.8	100M	100M
java	java	7.9	4.1	100M	100M
java	java	3.8	3.4	100M	100M
java	java	3	3	1.4M	100M
java	java	2	1.7	70M	100M
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3
java	java	1	3	3	3


## Statistics

This section shows the accumulated statistics for the period. You can change the period and the interval for displaying the data.


It is possible to switch between the following tabs:

- [Processors and memory \(statistics\)](#) - Processors load and memory usage statistics are displayed
- [HTTP statistics](#) - processed and blocked HTTP requests statistics are displayed
- [Network interfaces dna0-dnaX](#) - traffic statistics per dna interface

### Processors and memory (statistics)



### HTTP statistics



## Network interfaces dna0-dnaX

