Table of Contents

Services

Services

- Blacklist/Whitelist
- PCAP entry
- Mini Firewall
- Entry L2 BRAS
- L3 BRAS Entry
- CG NAT
- Protection against DOS and DDOS attacks
- Caching
- Subscriber notification
- Ad blocking and replacing
- Reward Program

To go to the section, open the "Manage services" menu and click "Services".

VAS Experts	SSG control >	😫 📽 📧
Search ×	License stotus: NOT ACTIVE	
SSG control	Advertising & Ad blocking Black and white lists DDoS protection CGNAT Mini Firewall	
Performance	+ 0 & @ & @ Sove ti	Ø
Configuration	Advertising & Ad blocking lists Gonfig	
Protocol prioritization	Resource The content server (od_server)	
Priority for ASN	Q. Filter Www.someserver.ru	[®]
Logs	☑ ☑ On wiki vasexperts.ru	
Subscribers and services		
Services		
Tariff plans		
Adv control		
HotSpot		
🗠 QoE analytics 🗸		
Version 2.27.10 B	«« « 1 » »» On page 100 v	
	_	
	×	

Block lists/Allow lists

This section appeared in version 2.1.5.

The section looks like the picture below.

	VAS Experts	Ξ	s	iSG c	ontro	< lo	🖽 Te	st_DPI-0	00 : >	Service	s													÷	₽ (B
Se	arch	×	Lice	nse st	otus:)	NOT AC	TIVE																			
	SSG control	^		Adve	rtisin	g & Ad	l blocki	ng	Blo	ack and w	hite lists			DDoS p	rotection			CGNAT	Mini F	irewall						
	Performance		Pro	files								<	Black	and wh	ite lists				<	Sul	oscrib	ers			4	<
	Configuration		+	÷	Ð	۲						ø						+ 0 @ @ @				Subscribers		Vchannels		
	Protocol prioritization		٥	List o	of bloc	ck and	white	profiles					D Bk	ck and	white lists	5				+		et û				a
	Priority for ASN					Id	Pr Date	e U	ser	Туре	Status				Туре		Res	ource		193	List o	f subscribers			ω,	
	Logs							0	~	Ŷ	Ŷ			~		÷	Q	Filter				Lc IP Bind type	Services Bi V	/ Auth status		m
	Subscribers and services		۲	2	0	10101	20.0	03.202 Jo	ohn Smitl	Black	Enabled	Û										~	~	~		
	Services		۲		٩	6752	20.0	3.202 Jo	ohn Smith	White	Enabled	۵										12 1.1 S		Unknown	Û	
	Tariff plans		۲	Ø	0	5728	20.0	03.202 Jo	ohn Smitl	White	Enabled	Û										12 1.1 S		Unknown	Û	
	Adv control																					12 1.1 S		Unknown	Û	
	HotSpot																					dł 19 S		Unknown	Û	
	riocapos.																					DI 10 S	NS NS	Unknown	Û	
	QoE analytics	~																				DI 10 M	NS NS	Unknown	Û	
																					Ø	DI 10 M	NS NS	Unknown	Û	
																						n/ 10 WB		Unknown	Û	
																						n/ 10 WB		Unknown	Û	
																					ø	n/ 10 WB		Unknown	٥	
																					Ø	n/ 12 WB		Unknown	Û	
																					Z	si 10 M		Unknown	٥	
Versi	on 2.27.10 B		**	*	1		**		On pa	ge	100	×						On page	100 V	1-	19 of 1	19 ««	< <mark>1</mark> >	**		
															×											

Block list/Allow list profiles

Here you can create block list/allow list service profiles, as well as edit and delete them. The form for creating/editing a blocklist/allow list service profile is shown in the figure below.

Black or white pr	ofile	
Description *		
Туре	Black	~
URL to redirect		
Use federal		
Code		
	Cancel	Save
		×

The form allows you to enter the following parameters:

- Profile name
- Select profile type (Block list/Allow list)
- URL to redirect

You can only manage Block list/Allow list service profiles for one selected equipment.

Subscribers of Block/Allow Lists

It is described in detail in the section Subscribers and Services

Block list/Allow list Resources

Here you can add resources to the selected Block list/Allow list profile. As well as edit and delete resources added to the profile.

The resource editing form in the Block/Allow Lists profile is shown in the figure below.

	Туре	IP PORT			~
	Resource	8.8.8.8 4	43		
	Enabled	~			
			Cancel	Save	
-					

×

The form allows you to enter the following parameters:

- Resource type (SNI, URL, IP, CN)
- Resource
- Status (Enabled / Disabled)

Import resources by category from QoE

The form for importing resources by category from QoE is shown in the figure below.

Import list items from QoE	
Category	Enabled
Unknown	□ No
Software, software toolkit, so	oftware f 🗌 No
Search engines	🗆 No
Other	🗆 No
Schools	🗆 No
Proxy, remote control	🗆 No
Alcohol tobacco	🗆 No
Religion	🗆 No
Gateway error	el No.

×

PCAP entry

In developing.

Mini Firewall

This section appeared in version 2.x.x.

The appearance of the section is shown in the image below.

VAS Experts		=	SS	SG co	ntrol > 🗐 Test_DPI-00) : > Servic	es											+	e ²⁹	B
Search		×	Licen	se sto	tus: NOT ACTIVE															
SSG control		^	A	Advert	tising & Ad blocking	Black and	white lists			D	DoS protection		CGNAT		Mini Firewall					
Performance			Prof	iles				<	Subs	scrit	pers									<
Configuration			+	۲	۲			ø				Subscribere	3			Vchannels				
Protocol prioritization			D P	rofile	s				+		0: 0								۲	ø
Priority for ASN				5	Profile		Status		燃し	ist o	of subscribers									
Logs					Q, Filter		÷		0		Login	IP-address	Bind type	Services			Mini Firewall	Auth status		m
Subscribers and service	15		۲	Z	🗅 testfw		Enabled	Û			Q, Filter	Q, Filter	~			v	~	~		
Services			۲	×	test_firewall		Enabled	Û		2	1234	1.1.1.1	s					Unknown	Û	
Tariff plans									0	Ø	12345	1.1.1.2	s					Unknown	Û	
Adv control										Ø	123456	1.1.1.3	S					Unknown	Û	
HotSpot										Ø	db-test	192.168.100.100	s					Unknown	Û	
_										Ø	DHCP_MAX_PC	10.10.100.99	s	NS NS				Unknown	Û	
QoE analytics		~								2	DHCP-Laptop	10.0.100.102	м	NS NS				Unknown	٥	
										Ø	DHCP-Laptop	10.0.100.103	м	NS NS				Unknown	Û	
										2	n/a	10.0.100.1	WB					Unknown	Û	
										Ø	n/a	10.0.100.3	WB					Unknown	Û	
										Ø	n/a	10.10.100.3	WB					Unknown	Û	
										Ø	n/a	127.0.0.1	WB					Unknown	Û	
										2	skr	10.10.100.121	м					Unknown	Û	
Version 2.27.10 B			**	۲	1 > >>	On page	100	~	1 - 19	of	19	«« «	1 >	**						
											×									

Mini Firewall Profiles

Here you can create profiles for the Mini Firewall service, as well as edit and delete them. The form for creating/editing a Mini Firewall service profile is shown in the figure below.

Mini Firewall profile		
Description *		
Block ports until *	0	
Exclude ports		
Outbound Port Ban *		
	Cancel	Save

The form allows you to enter the following parameters:

- Profile name
- Block ports up to (max_port) Port number below which access is blocked
- Exclude ports (**port_holes**) List of ports that are allowed to access bypassing the **max_port** restriction
- Deny outgoing ports (**out_port**) list of ports to which outgoing traffic is closed

You can only manage block list/allow list service profiles for one selected equipment.

Connecting / disconnecting a profile to subscribers

It is described in detail in the section Subscribers and services

L2 BRAS

In developing.

L3 BRAS

In developing.

CG NAT

This section appeared in version 2.4.0.

The appearance of the section is shown in the image below.

VAS Experts	≡	SSG control > 目 Test_DPI-00 ; > Services							+	e? 💌	
Search	×	Inse status: NOT ACTIVE									
SSG control	^	Advertising & Ad blocking Black and white lists DDoS protection CGNAT	Mini	Firewo	all						
Performance		ofiles < Profile status	< 8	ubscr	ibers					<	
Configuration		0 0 B	ø		s	ubscrib	ers		Vchannels		
Protocol prioritization		Profile status			~	~				0.0	
Priority for ASN		Profile NAT Status Full status Detailed status Subscribers statu	IS 1	F J List	of sul	bscriber	rs			0.0	
Logs		Q Filter v v Protocol Stream IP mask Addi Addi Port Port Used	C	ו	Log	IP- Bir	nd type	Services	CGI Auth status		
Subscribers and services		Image: Comparison of the second sec					~	~	~		
Services		C 1 Test CGNAT Disabled	0		123	1.1.1 S			Unknown	Ċ	
Tariff plans			C		123	1.1.1 S			Unknown	Ċ	
Adv. control			0		123	1.1.1 S			Unknown	Û	
					db-	192 S			Unknown	÷	
Hotspot			C		DH	10.1 S		NS NS	Unknown	Û	
QoE analytics	~		0		DH	10.C M		NS NS	Unknown	Û	
			C		DH	10.C M		NS NS	Unknown	Û	
			C		n/a	10.C W	в		Unknown	Û	
			C		n/a	10.0 WI	в		Unknown	Û	
			C		n/a	10.1 WI	в		Unknown	Û	
			C		n/a	127. WI	в		Unknown	Û	
			0		skr	10.1 M			Unknown	Ċ	
Version 2.27.10 B		< 1 > >> On page 100 ~ On page 100	~ 1	- 19 o	f 19		<< <	1 >	**		
		×									

CG NAT profiles

Here you can create profiles for the CG NAT service, as well as edit and delete them. The form for creating/editing a CG NAT service profile is shown in the figure below.

~ 1 mG		v v								
CGNAT profile										
Description *										
Туре	CGNAT	~								
NAT IP pool *										
TCP sessions	o									
UDP sessions	0									
	Cancel	Save								
		×								

The form allows you to enter the following parameters:

- Profile name
- Select profile type (CGNAT / 1:1)
- Nat IP pool (CIDR)
- Number of TCP and UDP sessions (if profile type is CGNAT)

You can only manage block list/allow list service profiles for one selected equipment.

General profile status

This tab displays the general status of the profile:

- Protocol used
- Thread number
- Max IP
- Total number of addresses
- Used number of addresses (for profile type 1:1)
- Total number of ports (for CGNAT profile type)
- Number of ports used (for CGNAT profile type)

×

Detailed profile status

This tab displays detailed status by profile:

Protocol used

- Thread number
- Max IP
- White IP address from the pool
- Total number of ports
- Number of ports used

×

Detailed profile status

This tab displays detailed status by profile:

- Protocol used
- Thread number
- Max IP
- White IP address from the pool
- Total number of ports
- Number of ports used

×

Profile subscriber status

This tab displays detailed status by profile:

- Gray IP address of the subscriber
- White IP address of the subscriber
- Number of subscriber TCP sessions
- Number of UDP sessions of the subscriber

×

Connecting / disconnecting a profile to subscribers

It is described in detail in the section Subscribers and services

Protection against DOS and DDOS attacks

In developing.

Caching

In developing.

Notifying subscribers

In developing.

Blocking and replacing ads

In developing.

Bonus program

In developing.